EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	(universal adj asynchronous adj receiver adj transmitter uart) with (key adj variable adj loader kvl)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/05/27 16:09
S 2	0	(universal adj asynchronous adj receiver adj transmitter uart) and (key adj variable adj loader kvl) and motorola. as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/05/27 16:11
S3	2	(universal adj asynchronous adj receiver adj transmitter uart) and (key adj variable adj loader kvl)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/05/27 16:23
S4	5	(key adj variable adj loader kvl) with (clock\$1 timer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/05/27 16:46
S5	37	key adj variable adj loader \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/05/27 16:50
S6	8	"5742502"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/05/27 16:51
S7	8	"5742502"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/07 14:54
S8	11524	(universal adj asynchronous adj receiver adj transmitter uart)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/07 21:51
S9	6069	(universal adj asynchronous adj receiver adj transmitter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/07 21:51

S10	222	(universal adj asynchronous adj receiver adj transmitter)and (encrypt\$3 encod\$3 encipher\$3 cipher\$3 scrambl\$3) near1 key\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/07 21:52
S11	94	(universal adj asynchronous adj receiver adj transmitter)and (encrypt\$3 encod\$3 encipher\$3 cipher\$3 scrambl\$3) near1 key\$1 and timer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/07 21:55
S12	4	(universal adj asynchronous adj receiver adj transmitter)and (encrypt\$3 encod\$3 encipher\$3 cipher\$3 scrambl\$3) near1 key\$1 and parity adj error\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/07 22:13
S13	68	(universal adj asynchronous adj receiver adj transmitter)and "380"/ \$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/07 22:18
S14	54	(universal adj asynchronous adj receiver adj transmitter) and (timer clock) and "380"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/07 22:18
S15	6	(universal adj asynchronous adj receiver adj transmitter) with (timer clock) and "380"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/07 22:33
S16	62	(universal adj asynchronous adj receiver adj transmitter) with (timer clock) and "713"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/07 22:34
S17	0	(universal adj asynchronous adj receiver adj transmitter) with (without "not") with (timer clock) and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/07 22:34
S18	3	(universal adj asynchronous adj receiver adj transmitter) with (timer clock).clm. and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/07 22:35
S19	31	(universal adj asynchronous adj receiver adj transmitter) with (timer clock).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/07 22:36

S20	62	"5999967"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/08 21:36
S21	2	"20050220307"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 14:42
S22	28	"5093860"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 14:43
S23	37	motorola.as. and (KVL keyloader key adj variable adj loader)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 14:49
S24	19	380/273.ccls. and (KVL key adj loader key adj variable adj loader\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 14:56
S25	1281	(KVL key adj loader key adj variable adj loader\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 14:59
S26	164	(KVL key adj loader key adj variable adj loader\$1) and (timer\$1 clock\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 15:00
S27	47	(key adj loader key adj variable adj loader\$1) and (timer\$1 clock\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 15:03
S28	4	"5156357"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 15:16
S29	304	"4278837"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 15:16
S30	30	"5883956"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 15:16
S31	8	"5742502"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 15:27
S32	2	(key adj loader key adj variable adj loader\$1) and UART	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 15:38

S33	2	(key adj loader key adj variable adj loader\$1) and universal adj asynchronous adj receiver adj transmitter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 15:39
S34	2951197	(encrypt\$3 encod\$3 encipher\$3 cipher\$3 scrambl\$3) near\$1 key\$1 and universal adj asynchronous adj receiver adj transmitter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 15:40
S35	151	(encrypt\$3 encod\$3 encipher\$3 cipher\$3 scrambl\$3) adj key\$1 and universal adj asynchronous adj receiver adj transmitter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 15:40
S36	1	(encrypt\$3 encod\$3 encipher\$3 cipher\$3 scrambl\$3) adj key\$1 and universal adj asynchronous adj receiver adj transmitter and OTAR	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 15:41
S37	1	(encrypt\$3 encod\$3 encipher\$3 cipher\$3 scrambl\$3) adj key\$1 and universal adj asynchronous adj receiver adj transmitter and keyfill	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 15:41
S38	13	(encrypt\$3 encod\$3 encipher\$3 cipher\$3 scrambl\$3) adj key\$1 and universal adj asynchronous adj receiver adj transmitter and GPIO	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 15:42
S39	2	load\$3 near key\$1 and universal adj asynchronous adj receiver adj transmitter and GPIO	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 15:44
S40	4	"2002067495"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 15:47
S41	9	D390554	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 16:01
S42	16	"5404404"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 16:02

S43	0	380/270.ccls. and (key adj loader key adj variable adj loader\$1) and UART	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 16:11
S44	1	380/277.ccls. and (key adj loader key adj variable adj loader\$1) and UART	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/19 16:11
S45	315	boerger.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/20 00:53
S46	2	boerger.in. and KVL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/06/20 00:54
S47	1296	(KVL key adj loader key adj variable adj loader\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/01/04 00:41
S48	77	(KVL key adj loader key adj variable adj loader\$1) with tim\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/01/04 00:41
S49	26	(KVL key adj loader key adj variable adj loader\$1) with tim\$3 and (encrypt\$3 encod\$3 cipher\$3 encipher \$3 scrambl\$3) adj key\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/01/04 00:42
S50	3	(KVL key adj loader key adj variable adj loader\$1) with tim\$3 same (encrypt \$3 encod\$3 cipher\$3 encipher\$3 scrambl\$3) adj key\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/01/04 00:43
S51	3	"20040193769"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/10 14:44
S52	0	"2004773232"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/10 14:45
S53	10	"5412722"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/10 14:56
S54	1	KVL with keyfill\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/10 15:12

S55	24	KVL with (encrypt\$3 encod \$3 cipher\$3 scrambl\$3 encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/10 15:26
S56	352	380/277.ccls. and without with (clock\$3 tim\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/10 17:29
S57	143	380/277.ccls. and without with (clock\$3 tim\$3) with key\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/10 17:35
S58	22	380/277.ccls. and without with (clock\$3 tim\$3) and key near load\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/10 17:35
S59	14	"5471532"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/03/11 09:59
S60	2	"20020018571"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/03/11 10:14
S61	768	without with (clock\$3 tim \$3) and key near load\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/11 10:15
S62	11	without with (clock\$3 tim \$3) near1 (unit device peripheral) and key near load\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/11 10:15
S63	12	without with (clock\$3 tim \$3) near1 (unit device peripheral module) and key near load\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/11 10:15
S64	15	without with (clock\$3 tim \$3) near1 (unit device peripheral module) and key near load\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/03/11 10:15
S65	3	"20040193769"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/03/11 10:33
S66	1	(KVL key adj variable adj loader) with parity same validat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/03/17 12:46
S67	1	(KVL key adj variable adj loader) with parity same (check\$3 authen\$7 verif\$7 validat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/03/17 12:47

S68	0	"714"/\$.ccls. and (KVL key adj variable adj loader) with parity same (check\$3 authen\$7 verif\$7 validat \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/03/17 12:52
S69	972	UART and parity near1 (bit checking error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/28 07:17
S70	1	UART and parity near1 (bit checking error) and (KVL key adj variable adj load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/28 07:17
S71	834	asynchronous and UART and parity near1 (bit checking error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/28 07:18
S72	360	asynchronous and UART same parity near1 (bit checking error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/28 07:18
S73	233	asynchronous and UART with parity near1 (bit checking error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/28 07:18
S74	177	asynchronous and UART with parity near1 (bit checking error) and (clock timer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/28 07:19
S75	4	asynchronous and UART with parity near1 (bit checking error).clm. and (clock timer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/28 07:19
S76	4	asynchronous and UART with parity near1 (bit checking error).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/28 07:20
S77	11	chip\$1 with UART and parity near1 (bit checking error).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/28 07:22
S78	2	"5790885".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/08/27 21:32
S79	2	"20020018571"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/08/27 21:35

S80	1	(KVL Keyloader key adj variable adj loader) and (UART universal adj asynchronous adj receiver adj transmitter) and detect \$3 with error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/27 22:24
S81	2	(key adj loader key adj variable adj loader\$1) and universal adj asynchronous adj receiver adj transmitter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/29 23:14
S82	3	(key adj loader key adj variable adj loader\$1 KVL) and (universal adj asynchronous adj receiver adj transmitter UART)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/30 00:46
S83	2121	(universal adj asynchronous adj receiver adj transmitter UART) with (time timer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/30 00:48
S84	66	(universal adj asynchronous adj receiver adj transmitter UART) with "without" with (time timer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/30 00:48
S85	89	(universal adj asynchronous adj receiver adj transmitter UART) with "without" with (clock time timer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/30 00:48
S86	72	(universal adj asynchronous adj receiver adj transmitter UART) with "without" with (clock time timer) and @ad<"20040331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ÖR	OFF	2010/08/30 00:49
S87	0	(universal adj asynchronous adj receiver adj transmitter UART) with "without" with (clock time timer).clm. and @ad<"20040331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/30 00:49
S88	12	(universal adj asynchronous adj receiver adj transmitter UART) with "without" with (clock time timer).bsum. and @ad<"20040331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/30 00:49
S89	72	"5915025"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/30 10:02

S90	2	"5915025".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/30 10:02
S93	14	variable adj loader) and operat\$3 with "without"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/09/01 10:37
S94	1	variable adj loader) with (GPIO general adj purpose	USPAT;	OR	OFF	2010/09/01 11:59
S95	1292	(KVL Keyloader key adj variable adj loader)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/09/01 12:00
S96	5	(US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/09/01 12:02

9/10/2010 11:08:47 PM

C:\ Documents and Settings\ tdoan2\ My Documents\ EAST\ Workspaces\ 10814315.wsp